



Entergy New Orleans, LLC
1600 Perdido Street, Bldg #505
New Orleans, LA 70112
Tel 504 670 3680
Fax 504 670 3615

Brian L. Guillot
Vice President,
Regulatory Affairs
bguill1@entergy.com

January 24, 2020

VIA HAND DELIVERY

Ms. Lora W. Johnson, CMC, LMMC
Clerk of Council
City Hall, Room 1E09
1300 Perdido Street
New Orleans, Louisiana 70112

RE: Filing of Entergy New Orleans, LLC's Correction to its Energy Smart Program Revised Implementation Plan for Program Years 10-12 (Resolutions R-19-516; UD-08-02, UD-17-03)

Dear Ms. Johnson:

On January 22, 2020, Entergy New Orleans, LLC ("ENO") filed its Energy Smart Program Revised Implementation Plan for Program Years 10-12. Subsequently, ENO realized that two of the tables in the filing were incorrect. More precisely, the "Energy Efficiency and Demand Response Scenario 1 Total" and "Energy Efficiency and Demand Response Scenario 2 Total" tables at the end of the filing did not include the Large Commercial Demand Response Cost nor the Demand Response Coordination Costs (as discussed in the "Summary of Program Year 10 Adjustments" section). Consequently, ENO is correcting those tables with this filing.

On behalf of APTIM, Entergy New Orleans, LLC submits the enclosed original and three copies of the Correction to its Revised Implementation Plan for Program Years 10-12. Should you have any questions regarding this filing, please contact my office at (504) 670-3680.

Thank you for your assistance with this matter.

Sincerely,

Brian L. Guillot

Enclosure

cc: Official Service List UD-08-02 and UD-17-03 (via electronic mail)

RECEIVED

JAN 24 2020

BY:

Energy Efficiency and Demand Response Scenario 1 Total

ENERGY SMART PORTFOLIO BUDGETS - SCENARIO 1			
	Year 10	Year 11	Year 12
Energy Efficiency Total	\$12,463,554	\$15,519,142	\$18,100,229
<i>EM&V</i>	<i>\$494,546</i>	<i>\$614,813</i>	<i>\$718,064</i>
<i>Program Costs</i>	<i>\$11,969,008</i>	<i>\$14,904,329</i>	<i>\$17,382,165</i>
Demand Response Total	\$1,717,746	\$1,644,134	\$1,824,348
<i>EM&V</i>	<i>\$68,710</i>	<i>\$65,766</i>	<i>\$72,974</i>
<i>Program Costs</i>	<i>\$1,649,036</i>	<i>\$1,578,368</i>	<i>\$1,751,374</i>
Energy Smart Total	\$14,181,300	\$17,163,276	\$19,924,577
<i>EM&V</i>	<i>\$563,256</i>	<i>\$680,579</i>	<i>\$791,039</i>
<i>Program Costs</i>	<i>\$13,618,044</i>	<i>\$16,482,698</i>	<i>\$19,133,539</i>

Energy Efficiency and Demand Response Scenario 2 Total

ENERGY SMART PORTFOLIO BUDGETS - SCENARIO 2			
	Year 10	Year 11	Year 12
Energy Efficiency Total	\$12,912,018	\$17,267,134	\$19,474,171
<i>EM&V</i>	<i>\$512,485</i>	<i>\$684,738</i>	<i>\$773,026</i>
<i>Program Costs</i>	<i>\$12,399,533</i>	<i>\$16,582,396</i>	<i>\$18,701,145</i>
Demand Response Total	\$1,717,746	\$1,644,134	\$1,824,348
<i>EM&V</i>	<i>\$68,710</i>	<i>\$65,766</i>	<i>\$72,974</i>
<i>Program Costs</i>	<i>\$1,649,036</i>	<i>\$1,578,368</i>	<i>\$1,751,374</i>
Energy Smart Total	\$14,629,764	\$18,911,268	\$21,298,519
<i>EM&V</i>	<i>\$581,195</i>	<i>\$750,504</i>	<i>\$846,001</i>
<i>Program Costs</i>	<i>\$14,048,569</i>	<i>\$18,160,764</i>	<i>\$20,452,518</i>